Explanation of variances - pro forma

Name of smaller authority:

Firbeck Parish Council

County area (local councils and parish meetings only): Yorkshire
Insert figures from Section 2 of the AGAR in all Blue highlighted boxes

Next, please provide full explanations, including numerical values, for the following that will be flagged in the green boxes where relevant:

- variances of more than 15% between totals for individual boxes (except variances of less than £200);
- New from 2020/21 onwards: variances of £100,000 or more require explanation regardless of the % variation year on year;

| | 2023/24 £ | 2024/25 £ | Variance £ | Variance % | | Automatic responses trigger below based on figures input, DO NOT OVERWRITE THESE BOXES | Explanation from smaller authority (must include narrative and supporting figures) |
|--|--------------|--------------|---------------|---------------|-----|---|---|
| 1 Balances Brought Forward | 27,090 | 25,767 | | | | Explanation of % variance from PY opening balance not required - Balance brought forward agrees | |
| 2 Precept or Rates and Levies | 10,000 | 12,000 | 2,000 | 20.00% | YES | | Precept increase authorised by council at Minute 3631d on 24 Jan 24 |
| 3 Total Other Receipts | 3,987 | 6,703 | 2,716 | 68.12% | YES | | VAT received decrease -£176, grants increase +£1650, bank interest increase +£1291, other decrease -£49. Total +£2716 |
| 4 Staff Costs | 3,267 | 3,313 | 46 | 1.41% | NO | | |
| 5 Loan Interest/Capital Repayment | 0 | 0 | 0 | 0.00% | NO | | |
| 6 All Other Payments | 12,043 | 12,125 | 82 | 0.68% | NO | | |
| 7 Balances Carried Forward | 25,767 | 29,032 | | | | VARIANCE EXPLANATION NOT REQUIRED | l |
| 8 Total Cash and Short Term Investments | 25,767 | 29,032 | | | | VARIANCE EXPLANATION NOT REQUIRED | l |
| 9 Total Fixed Assets plus Other Long Term Investments ar | 3,344 | 10,383 | 7,039 | 210.50% | YES | | Assets added in year - CCTV cameras £5839 and village sign £1200. Total £7039. |
| 10 Total Borrowings | 0 | 0 | 0 | 0.00% | NO | | |

Rounding errors of up to £2 are tolerable

Variances of £200 or less are tolerable